

placem^{ends}
LIGHTING SOLUTIONS

nordlux®

**CATÁLOGO
DFTP
2019/2020**

WE PROUDLY PRESENT
OUR RED DOT WINNERS
2017-2019







reddot award 2019
winner

RED DOT DESIGN AWARD WINNER 2019 SPACE B





LIGHT STIMULATES AND AFFECTS US BOTH MENTALLY AND
PHYSICALLY AND WE KNOW THAT IT PLAYS A BIG ROLE IN
RELATION TO OUR WELL-BEING.

LACK OF LIGHT MAKES US SLEEPY AND INACTIVE, WHILE
ITS PRESENCE HAS A STIMULATING EFFECT ON US.

SPACE B IS A GREAT EXAMPLE OF HOW WE CAN USE
THE LIGHT, ADJUST IT AND ADAPT IT TO OUR NEEDS IN
RELATION TO EVERYDAY SITUATIONS.

WE MOVE MORE TOWARDS A HUMAN-CENTERED LIGHTING
- BECAUSE LIGHT - AND DARKNESS HAVE SUCH A BIG
IMPACT ON OUR WELL-BEING.







SpaceB floor 46034003

By Bønnelycke mdd. More info on page 84



SpaceB pendant 46013003
By Bønnelycke mdd. More info on page 84



TABLE OF CONTENTS

RED DOT AWARD WINNER 2019

See our award-winning product p. 4

THE 2019 - 2020 COLLECTION

Welcome p. 12

MEET OUR DESIGNERS

p. 14

LOOKBOOK

p. 16

THE ENTIRE COLLECTION

Indoor decorative series p. 54

Pendants p. 120

Table and wall light p. 144

Ceiling light p. 146

FSC & Responsibility p. 150

Degree and protection p. 152

Light source info p. 153

Staff p. 154

Index p. 159

www.nordlux.com

nordlux@nordlux.com

facebook.com/nordluxglobal

instagram.com/nordlux

pinterest.com/nordlux

linkedin.com/company/nordlux-a-s

DESIGN FOR THE PEOPLE 2019 - 2020 COLLECTION

Imagine a design that combines tradition and innovation.

A design that combines the trend of time and the timeless look with the newest technology. All designed by Danes. Our mission is to lift people's quality of life with light and that is why the 2019 - 2020 collection focus on making light adjustable to your needs.

Light is not just light.

Light is an evocative element that affects us both physically and mentally, and therefore it is important with the right light for everyday situations.

Our 2019 - 2020 collection presents our take on one of the biggest trends of time: Opalized glass and brushed brass in a timeless combination.

You will also see well-known designs in new cool colors, focus on details and materials, beautiful matt surfaces and some of the newest technologies integrated in the design.

The majority of the names for the new collection have been chosen with inspiration from Japan and refer to a detail or a shape of the design. The references from the Japanese minimalism combined with the Danish design tradition for beautiful shapes and functionality is a perfect match.

This is the essence of Design For The People
and the common thread for this collection.

We proudly present our 2019 - 2020 collection.

A handwritten signature in black ink, reading "Peter Terhelsen". The signature is fluid and cursive, with a large initial "P" and a checkmark-like flourish at the end.

CEO Nordlux



TECHNOLOGY

We are constantly looking for new technologies and processes that we can use with our more than 40 years of experience in lighting. Therefore, we have a team of more than 100 dedicated engineers who, through intense in-house testing, advanced product development, knowledge and continuous optimization of used materials, ensure that we are at the forefront. We want to integrate the newest technologies into our design to create solutions that help our customers get the best and the most out of light.

DESIGN

Behind each Design For The People lamp is one or more renowned Danish designers who strive to create lamps that bring beauty, functionality and innovation to a higher level. The combination of the collaboration with talented designers and our drive throughout the design process is crucial for us to work purposefully to create timeless and innovative designs - intended for people all over the world.

Since 2017 we have been honored with more than 20 international design awards – among others Red Dot, iF Design Award, Good Design Award and A Design Award.

RESPONSIBILITY

We have a great focus on protecting our resources and the environment and therefore we have been FSC-C124559 certified since 2016. FSC certification is about using wood from responsible sources and ensuring there is a clear traceability of the tree from forest to finished product that is out in the store. The desire and motives for becoming FSC certified on the products where wood is included has been a natural development of our approach to environment and sustainability - and we will continue to demand FSC certified wood for our design products, which include wood.



BJØRN + BALLE

The design duo BJØRN+BALLE, based in Copenhagen, consists of designers Christian Bjørn and Rune Balle. Both have carried out a large number of design tasks for both national and international clients, such as product design, furniture design, interior design, identity programs and exhibitions. Together they have had great success with lighting design.

BJØRN+BALLE combines the Scandinavian design tradition and international trends. The overall identity of the product is its form, function, structure and materials, the product's name contributes. A product never stands alone - it is part of an environment - the story that is told supports the design. BJØRN+BALLE have delivered a wide range of innovative technical solutions for the industry, as well as beautifully designed products for the consumer market.

MARIA BERNTSEN

At the start of a new project, I look for an idea with nerve, functionality and identity. By modeling and visualizing, I test the idea, how it might be used, and its presence. Good design communicates and establishes a dialogue with the receiver. Design is not just about functionality – it is as much about the emotional connection and impact.

To me, success is when my design brings joy in the everyday lives of people.

BØNNELYCKE MDD

Bønnelycke is driven by an unsurpressable urge and desire to work constructively and innovatively. He started his career in 1988 with the design of lighting, furniture and interior spaces. Quickly, he became known as an unconventional architect with no whims and fancies. "It could be fun" and "of course it can be done" – are phrases often used in his company. Bønnelycke mdd is a multi disciplinary design company with both national and international experience. We are perfectionists with professional curiosity. We provide a wide variety of design disciplines encompassing architecture and interior design, furniture design and product design to communication assignments, graphic design and web design.



ANTONIO SENA - SEIDENFADEN DESIGN

The Italian designer, Antonio Sena, is living in Copenhagen and is specialized in lifestyle products. His style is defined by soft lines with an intense focus on details and functionality. "I aspire to design honest objects that meet the needs in any given time and place." Antonio Sena is Design Manager at Seidenfaden Design Copenhagen, one of the leading design agencies in Denmark.

Seidenfaden Design Copenhagen is specialized in the provision of design and product development for global lifestyle brands. Combining aesthetic, usability and functional aspects are essential – whether doing projects for high-end brands or solving needs in the consumer's everyday life.



CARLO VOLF

"Light is precious, and it must not be wasted. Good light is essential for our well-being and therefore the lamp must give an optimal light output," Carlo Volf explains. Therefore Carlo Volf works very deliberately with the covering of the light source.

Like the master of detail that he is, he works a lot with every single bend in the distribution of the light so the lamp has the best light properties.



SEBASTIAN HOLMBÄCK

Aesthetics, the notion of beauty, and how we perceive it, has run as a red thread throughout Sebastian Holmbäck's career.

Beyond the technical understanding of material and manufacturing, which he loves, is a deep fascination of how we as humans experience the shape, colour and functionality of an object.

Over the years, this curiosity and interest for both the technical and psychological side of design have accumulated into a broad experience and deep understanding for what it takes to create a successful product.

Today his work as designer is divided between the creation of products for Danish and international clients, and his work as consultant for companies in search for a clear mapping of the ties between customers, products, manufacturing capabilities and company identity.



COME SWAY WITH ME

by Bjørn + Balle





Sway wall 48211003
By Bjørn + Balle. More info on page 55





Sway 11 pendant 48193003

Sway 15 pendant 48203003

By Bjørn + Balle. More info on page 54



Sway floor 48234003

By Bjørn + Balle. More info on page 56



Sway table 48225003


By Bjørn + Balle. More info on page 55

The Sway series is extremely beautiful in all its simplicity and a timeless series is created. The minimalistic design reflects the designer's sharp

eye for tasteful lighting, with every detail thought through.

The light is reflected both up and down, which gives a soft and comfortable light. At the same time, the lamp's flexible turning mechanism allows you to direct the light to where it's required.

The wall lamp and table lamp are highly functional with the feature of a USB outlet to charge your phone.



Stay is multifunctional and creates beautiful lighting in the same design. The table lamp has several cool features - in the lamp stand there is integrated a tasteful on/off and dimmer function and a charging station with USB access. The lampshade's flexible turning mechanism allows you to direct the light to where you need it. Stay is made with built-in LED technology and is available in black and grey.

Stay table 48185003 black, 48185010 grey
By Maria Berntsen. More info on page 58



WON'T YOU **STAY**
WITH ME





Stay wall 48171003 black, 48171010 grey
By Maria Berntsen. More info on page 58

RAITO

MAKE A STATEMENT

Ratio is a modern, timeless and extremely beautiful series of designer lamps created with simplicity and elegance combined in the best possible way. The opal glass gives the series a comfortable lighting surface as well as a soft and diffused light that is glare-free and undisturbed. Ratio contributes to the current design trend in lighting, where opal glass is combined with brushed brass details.





*Available from November



*Available from November



Raito 22 round 48013001

Raito 22 oval 48043001

Raito 30 oval 48033001

Raito 30 round 48023001

By Bønnelycke mdd. More info on page 78



Raito table 48075001, **floor** 48084001
By Bønnelycke mdd. More info on page 82

*Available from November

Raito 5 48063001
By Bønnelycke mdd
More info on page 81





Raito 3 48053001
By Bønnelycke mdd. More info on page 80


*Available from November



Raito wall 48091001
By Bønnelycke mdd. More info on page 82

*Available from November

PLAY ALL THE ANGLES



Angle has a contemporary design with an industrial, yet minimalistic look. The special feature of this pendant is the ability to direct the light in the direction you want - with the mounted magnet on the textile cable.

The lamp is available in black, white and grey and looks good with several clustered together, angled differently.

It gives a nice expression and adds a little extra atmosphere to any room.

Angle 48163001 white, 48163003 black, 48163011 grey
Dim to warm - from 2700 Kelvin to 2200 Kelvin
By Maria Berntsen. More info on page 118

DIM TO WARM



2700K

2200K








LEVEL UP
YOUR LIGHT



Fura 25 48103001 white, 48103003 black
Fura 40 48113001 white, 48113003 black
 Dim to warm - from 2700 Kelvin to 2200 Kelvin
 By Bønnelycke mdd. More info on page 120

DIM TO WARM





WOOD YOU MIND CHANGING THE TOP



Moku 48123001 white, 48123003 black
Comes with two replaceable wooden tops
By Bønnelycke mdd. More info on page 122





MIB table 71655011, floor 71704011
By Bønnelycke mdd. More info on page 60-63





MIB 71679911

By Bønnelycke mdd. More info on page 60



MIB 71681011

By Bønnelycke mdd. More info on page 62



Strap 48 84353009, **Strap 36** 84343009, **Strap 27** 84333009
By Bjørn + Balle. More info on page 70



LET'S GO TOGETHER



3-STEP DIMMER MOODMAKER™

First touch
100%

Second touch
50%

Third touch
20%

Strap to go 46195001

By Bjørn + Balle. 3-step MOODMAKER™ dimmer

Charged with included USB cable

More info on page 68





TAKE ME WITH YOU!






3-STEP DIMMER
MOODMAKER™

First touch
100%

Second touch
50%

Third touch
20%

Nuru 48275003 black, 48275058 gold
By Bønnelycke mdd. 3-step MOODMAKER™ dimmer
Charged with included USB cable
More info on page 64





Der tages forbehold for ændringer m.h.t. tekniske specifikationer, priser, design og collistørrelser.
We reserve the right to changes as to technical specifications, prices, design and number of packages.
Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Preise, Design und Verpackungseinheiten.
Nous nous réservons le droit de modifier toute documentation technique, prix, design et colisage.

THE ENTIRE COLLECTION

2019 - 2020



Sway 11 by Bjørn + Balle

Pendant

No. 48193003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Textile cable: 300 cm

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A



Canopy

Black plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

Shade Ø: 10,6 cm

Shade H: 16 cm



Sway 15 by Bjørn + Balle

Pendant

No. 48203003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A



Canopy

Black plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

Shade Ø: 15 cm

Shade H: 21,5 cm



Sway by Bjørn + Balle

Wall

No. 48211003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

USB power outlet

Textile cable: 180 cm replaceable

Switch on the lamp

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A

NEW



Measurements

H: 25,8 cm, D: 25,5 cm

Shade Ø: 10,6 cm

Base mount: Ø11 cm

Tilt angle: 90°



Sway by Bjørn + Balle

Table

No. 48225003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

USB power outlet


Textile cable: 180 cm

Switch on the base

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A

NEW




Measurements

H: 58 cm, Shade Ø: 10,6 cm

Base Ø: 19 cm

Tilt angle: 90°



Sway by Bjørn + Balle

Floor

No. 48234003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

Textile cable: 180 cm

Switch on fixture

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 151,6 cm, Shade Ø: 15 cm

Base Ø: 28 cm

Tilt angle: 90°





Stay by Maria Berntsen

Wall

No. 48171003 - Black cable

No. 48171010 - Grey cable

Master Box qty 2

Material: Aluminium/Plastic

IP20, Class 2

USB power outlet

Textile cable: 180 cm non replaceable

Switch on fixture

Fixed LED, Incl. 14,5W LED, Incl. Touch Dimming


5 year LED guarantee

Light source: Lumen 700, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Fixture energy class A++

NEW



Measurements

H: 44,5 cm, W: 22 cm,

D: 27 cm

Shade Ø: 14,5 cm

Base Ø: 22 cm

Tilt angle: 90°



Stay by Maria Berntsen

Table

No. 48185003 - Black cable

No. 48185010 - Grey cable

Master Box qty 2

Material: Aluminium/Plastic

IP20, Class 2

USB power outlet

Textile cable: 180 cm non replaceable

Switch on fixture

Fixed LED, Incl. 14,5W LED, Incl. Touch Dimming


5 year LED guarantee

Light source: Lumen 700, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Fixture energy class A++

NEW



Measurements

H: 47 cm, Shade Ø: 14,5 cm

Base Ø: 20 cm

Tilt angle: 90°






MIB 6 by Bønnelycke mdd

Pendant

No. 71679901 White - White cable
 No. 71679903 Black - Black cable
 No. 71679911 Grey - Grey cable - NEW

Master Box qty 3
 Material: Metal
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 GU10, Max. 8W, Excl. light source
 Fixture energy class A++ - A




MIB 6 by Bønnelycke mdd

Table

No. 71655001 White - White cable
 No. 71655003 Black - Black cable
 No. 71655011 Grey - Grey cable - NEW

Master Box qty 3
 Material: Metal
 IP20, Class 2
 Cable: 250 cm non replaceable
 Switch on fixture
 GU10, Max. 8W, Excl. light source
 Fixture energy class A++ - A







MIB 6 by Bønnelycke mdd

Wall

No. 71689901 White - White cable

No. 71689903 Black - Black cable

No. 71681011 Grey - Grey cable - NEW - New improved wall base

Master Box qty 3

Material: Metal


IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 20 cm, D: 24 cm

Shade Ø: 6 cm

Pipe Ø: 1 cm

Base mount: Ø 8,5 cm



MIB 6 by Bønnelycke mdd

Floor

No. 71704001 White - White cable
 No. 71704003 Black - Black cable
 No. 71704011 Grey - Grey cable - NEW

Master Box qty 2
 Material: Metal
 IP20, Class 2
 Cable: 250 cm non replaceable
 Switch on fixture
 GU10, Max. 8W, Excl. light source
 Fixture energy class A++ - A




Measurements

H: 141 cm, Shade Ø: 6 cm
 Shade H: 20 cm
 Pipe Ø: 1,27 cm
 Base Ø: 30 cm
 Tilt angle: 90°

3-STEP DIMMER MOODMAKER™

First touch 100% Second touch 50% Third touch 20%



Battery – non replaceable
5 hours with full light output
10 h. 50% / 20 h. 25%



Nuru by Bønnelycke mdd Table

No. 48275003 Grey/Opal white

No. 48275058 Gold/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 3

Incl. mini USB cable

On/Off under the base.


Fixed LED, Incl. 2,5W LED, Incl. 3-Step MOODMAKER

5 year LED guarantee

Light source: 100% Lumen 240 / 50% Lumen 120 / 20% Lumen 60

Kelvin 2.700, Life hours 25.000, Dimmable

NEW




Measurements

H: 20 cm, Shade Ø: 15,5 cm
Base Ø: 10 cm



STRAP



The name STRAP fits very much with the look of this light fixture. The pendant is suspended from a leather strap, and you have a choice between a strap in either black or a natural colour. In this way you determine the look of your light fixture.

The combination of leather and metal/glass is both classic and modern, and visually it fits well with a modern interior, where the mixing of materials is one of today's biggest trends.



3-STEP DIMMER MOODMAKER™

First touch
100%

Second touch
50%

Third touch
20%



Battery – non replaceable
5 hours with full light output
10 h. 50% / 20 h. 25%



On/off

Strap to go by Bjørn + Balle Table

No. 46195001 White/Black

Master Box qty 3

Material: Plastic/Rubber/Ply wood

IP54, Class 3

Incl. mini USB cable

Switch on the base


Fixed LED, Incl. 2,5W LED, Incl. 3-Step MOODMAKER

5 year LED guarantee

Light source: 100% Lumen 240 / 50% Lumen 120 / 20% Lumen 60

Kelvin 2.700, Life hours 25.000, Dimmable

NEW



Measurements

H: 14,7 cm, Shade Ø: 14,7 cm
Base Ø: 15,5 cm





Strap 16 by Bjørn + Balle

Pendant

No. 84303001 White - White cable

No. 84303003 Black - Black cable

Master Box qty 3

Material: Metal/Leather


IP20, Class 2

Incl. 2 leather straps - black and brown

Textile cable: 300 cm non replaceable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

H: 17 cm, Shade Ø: 16,5 cm



Strap 27 by Bjørn + Balle

Pendant

No. 84313001 White/Opal white glass - White cable

No. 84333001 White - White cable

No. 84333003 Black - Black cable

No. 84333009 Beige - Black cable - NEW

No. 84333032 Brushed steel - Black cable

Master Box qty 3

Material: Glass/Leather, Metal/Leather

IP20, Class 2

Incl. 2 leather straps - black and brown

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

H: 27 cm, Shade Ø: 27 cm



Strap 36 in black is the proud winner of both iF Award and Red Dot Award 2017



reddot design award winner 2017

Strap 36 by Bjørn + Balle Pendant



No. 84343001 White - White cable
No. 84343003 Black - Black cable
No. 84343009 Beige - Black cable - NEW
No. 84343032 Brushed steel - Black cable

Master Box qty 2
Material: Metal/Leather
IP20, Class 2
Incl. 2 leather straps - black and brown
Textile cable: 300 cm non replaceable
E27, Max. 40W, Excl. light source
Fixture energy class A++ - D



Canopy
White/Black plastic
Ø: 11,8 cm
H: 7,35 cm

Measurements
H: 37 cm, Shade Ø: 36 cm



Strap 48 by Bjørn + Balle Pendant



No. 84353001 White - White cable
No. 84353003 Black - Black cable
No. 84353009 Beige - Black cable - NEW
No. 84353032 Brushed steel - Black cable

Master Box qty 1
Material: Metal/Leather
IP20, Class 2
Incl. 2 leather straps - black and brown
Textile cable: 300 cm non replaceable
E27, Max. 40W, Excl. light source
Fixture energy class A++ - D



Canopy
White/Black plastic
Ø: 11,8 cm
H: 7,35 cm

Measurements
H: 48 cm, Shade Ø: 48 cm



Strap 68 by Bjørn + Balle

Pendant

No. 84363001 White - White cable

No. 84363003 Black - Black cable

Master Box qty 1

Material: Metal/Leather


IP20, Class 2

Incl. 2 leather straps - black and brown

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black plastic

Ø: 11,84 cm

H: 9 cm

Measurements

H: 60,7 cm, Shade Ø: 68 cm



No. 84353009 Beige - Black cable - NEW - page 71



Strap by Bjørn + Balle

Table

No. 46205001 White - White cable

No. 46205003 Black - Black cable

Master Box qty 3

Material: Metal/Leather

IP20, Class 2

Incl. 2 leather straps - black and brown

Textile cable: 180 cm non replaceable

Switch on fixture

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 55 cm, Shade Ø: 25 cm

Pipe Ø: 1,57 cm

Base Ø: 17 cm



Strap by Bjørn + Balle

Floor

No. 46234001 White - White cable

No. 46234003 Black - Black cable

Master Box qty 2

Material: Metal/Leather

IP20, Class 2

Incl. 2 leather straps - black and brown

Textile cable: 180 cm non replaceable

Switch on fixture

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 153,7 cm, Shade Ø: 36 cm

Pipe Ø: 1,57 cm

Base Ø: 30 cm



Strap by Bjørn + Balle

Wall



No. 46241001 White/Opal white - White cable

No. 46241003 Black/Opal white - Black cable

Master Box qty 3

Material: Glass/Leather

IP20, Class 2


Incl. 2 leather straps - black and brown

Cable: 200 cm replaceable

Switch on fixture

G9, Max. 28W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 17 cm, D: 20 cm

Shade Ø: 16,5 cm

Pipe Ø: 1,6 cm

Base mount: Ø 12,3 cm



Strap 15 by Bjørn + Balle

Wall



No. 84291001 White - White cable

No. 84291003 Black - Black cable

Master Box qty 3

Material: Metal/Leather

IP20, Class 2

Incl. 2 leather straps - black and brown

Cable: 180 cm replaceable

Switch on fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 17 cm, D: 21,5 cm

Shade Ø: 16,5 cm

Pipe Ø: 1,6 cm

Base mount: Ø 12,3 cm





Raito 22 round by Bønnelycke mdd

Pendant

No. 48013001 Opal white - White cable

Master Box qty 2


Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

***Available from November**



Canopy

White plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

Shade Ø: 22,5 cm

Shade H: 29,1 cm



Raito 22 oval by Bønnelycke mdd

Pendant

No. 48043001 Opal white - White cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

***Available from November**



Canopy

White plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

Shade Ø: 22,5 cm

Shade H: 37 cm



Raito 30 round by Bønnelycke mdd

Pendant

No. 48023001 Opal white - White cable

Master Box qty 2


Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

***Available from November**



Canopy

White plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

Shade Ø: 30 cm

Shade H: 37 cm



Raito 30 oval by Bønnelycke mdd

Pendant

No. 48033001 Opal white - White cable

Master Box qty 2


Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

***Available from November**



Canopy

White plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

Shade Ø: 30 cm

Shade H: 30,1 cm



Raito by Bønnelycke mdd

Pendant

No. 48053001 Opal white - White cable

Master Box qty 1

Material: Glass/Metal


IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

***Available from November**

NEW



Canopy

White plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

H: 55 cm, W: 57 cm,

Shade Ø: 20 cm



Raito by Bønnelycke mdd

Pendant

No. 48063001 Opal white - White cable

Master Box qty 1

Material: Glass/Metal


IP20, Class 2

Textile cable: 300 cm

E27, Max. 15W, Excl. light source

***Available from November**

NEW



Canopy

White plastic

Ø: 11,8 cm

H: 7,4 cm

Measurements

H: 55 cm, W: 67 cm,

Shade Ø: 20 cm





Raito by Bønnelycke mdd

Wall

No. 48091001 Opal white - White cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2


Switch on fixture

Textile cable: 180 cm

E27, Max. 15W, Excl. light source

***Available from November**

NEW



Measurements

H: 25,7 cm, D: 25 cm

Shade Ø: 20 cm

Base mount: Ø10 cm



Raito by Bønnelycke mdd

Table

No. 48075001 Opal white - White cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2


Switch on fixture

Textile cable: 180 cm

E27, Max. 15W, Excl. light source

***Available from November**

NEW



Measurements

H: 21,2 cm, Shade Ø: 20 cm

Base Ø: 7,4 cm



Raito by Bonnellycke mdd

Floor

No. 48084001 Opal white - White cable

Master Box qty 1

Material: Glass/Metal

IP20, Class 2

Switch on fixture

Textile cable: 180 cm

E27, Max. 15W, Excl. light source

***Available from November**



Measurements

H: 150 cm, Shade Ø: 30 cm

Base Ø: 30 cm

Tilt angle: 6°



SpaceB pendant in black is the proud winner of a Red Dot Award 2019



reddot award 2019
winner

SpaceB by Bønnelycke mdd Pendant

No. 46013001 White/Opal white - White cable

No. 46013003 Black/Opal white - Black cable

Master Box qty 3

Material: Aluminium/Plastic

IP20, Class 2

Textile cable: 300 cm non replaceable

Switch on fixture


Fixed LED, Incl. 22W LED, Incl. Multifunction

5 year LED guarantee

Light source: Lumen 983, Kelvin 2.200-3.000

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



Canopy

White/Black metal

Ø: 13 cm

H: 3,5 cm

Measurements

H: 5 cm, W: 8,5 cm, L: 120 cm



The simple and current design is given a particular twist of pleasant lighting through three different settings for temperature and brightness.



reddot award 2019
winner



SpaceB by Bønnelycke mdd

Floor

No. 46034001 White/Opal white - White cable

No. 46034003 Black/Opal white - Black cable

Master Box qty 2

Material: Aluminium/Plastic

IP20, Class 2

Textile cable: 250 cm non replaceable

Switch on fixture

Fixed LED, Incl. 22W LED, Incl. Multifunction

5 year LED guarantee

Light source: Lumen 1.645, Kelvin 2.200-3.000

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



Measurements

H: 127,6 cm, Base Ø: 15 cm
Tilt angle: 6°

The simple and current design is given a particular twist of pleasant lighting through three different settings for temperature and brightness.



reddot award 2019
winner



Dee in glass is the proud
winner of a Red Dot Award 2017



reddot design award
winner 2017

Dee by Bønnelycke mdd

Pendant

No. 84383003 Black/Frosted glass - Black cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

Fixed LED, Incl. 12W LED, 5 year LED guarantee

Light source: Lumen 980, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



Canopy

Black plastic

Ø: 11,4 cm

H: 13,5 cm

Measurements

H: 39 cm, Shade Ø: 35 cm



Dee 2.0 by Bønnelycke mdd

Pendant

No. 84413001 White/Frosted glass - White cable

No. 84413003 Black/Frosted glass - Black cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A



Canopy

White/Black plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

H: 39 cm, Shade Ø: 35 cm



Dee 2.0 by Bønnelycke mdd

Pendant

No. 84423001 White/Frosted glass - White cable

No. 84423003 Black/Frosted glass - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A



Canopy

White/Black plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

H: 23 cm, Shade Ø: 24,5 cm



Dee 2.0 by Bønnelycke mdd

Table

No. 84435001 White/Frosted glass - White cable

No. 84435003 Black/Frosted glass - Black cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 2

Textile cable: 180 cm non replaceable

Switch/dimmer on fixture

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 24 cm, Shade Ø: 25 cm

Base Ø: 14 cm





Brassy by Bønnelycke mdd

Pendant

No. 46283001 White - White cable

No. 46283003 Black - Black cable

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 25W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

H: 28,5 cm, Shade Ø: 30,4 cm



Brassy by Bønnelycke mdd

Wall

No. 46301001 White - White cable

No. 46301003 Black - Black cable

Master Box qty 3


Material: Metal/Plastic

IP20, Class 2

Textile cable: 180 cm non replaceable

E27, Max. 25W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - D



Measurements

H: 48 cm, D: 68,6 cm

Shade Ø: 22 cm

Shade H: 24 cm

Base mount: 5,2x13,3 cm

Tilt angle: 80°





Manhattan by Bønnelycke mdd

Pendant

No. 46253003 Black - Black cable

Master Box qty 2


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy

Black plastic

Ø: 11,8 cm

H: 7,3 cm

Measurements

H: 44,5 cm, W: 6 cm, L: 85 cm

Pipe Ø: 1,3 cm



Manhattan by Bønnelycke mdd

Wall

No. 46261003 Black - Black cable

Master Box qty 2

Material: Metal


IP20, Class 2

Textile cable: 180 cm replaceable

Switch on fixture

E27, Max. 40W, Incl. Rotate dimmer

Fixture energy class A++ - D



Measurements

H: 55 cm, W: 23,5 cm,

D: 16 cm

Pipe Ø: 1,3 cm

Base mount: Ø 10 cm





Pure 10 by Bønnelycke mdd

Pendant

No. 43283001 White NORDIC - White cable - Ash wood

No. 78283001 White - White cable - Walnut wood

No. 78283003 Black - Black cable - Walnut wood

No. 78283011 Grey - Grey cable - Walnut wood

Master Box qty 3

Material: Metal/Wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black/Grey plastic

Ø: 12 cm

H: 9 cm

Measurements

H: 35 cm, Shade Ø: 10 cm



Pure 20 by Bønnelycke mdd

Pendant

No. 43293001 White - White cable

No. 43293003 Black - Black cable

No. 43293010 Grey - Grey cable

Master Box qty 3

Material: Metal/Plastic/Ash wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black/Grey plastic

Ø: 11,7 cm

H: 9 cm

Measurements

H: 35 cm, Shade Ø: 20 cm





Pure 10 by Bønnelycke mdd

Wall

No. 78271001 White - White cable

No. 78271003 Black - Black cable

No. 78271011 Grey - Grey cable

Master Box qty 3

Material: Metal/Walnut wood


IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 26 cm, D: 17 cm

Shade Ø: 7,5 cm

Base mount: Ø10 cm



Pure 10 by Bønnelycke mdd

Floor

No. 78294001 White - Black cable

No. 78294003 Black - Black cable

No. 78294011 Grey - Black cable

Master Box qty 2

Material: Metal/Walnut wood

IP20, Class 2

Cable: 180 cm non replaceable

Switch on fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 149,5 cm, Shade Ø: 7,5 cm

Shade H: 26 cm

Pipe Ø: 1,3 cm

Base Ø: 30 cm



Reykjavik 12 by Sebastian Holmbäck

Pendant

No. 45153001 White - White cable

Master Box qty 2

Material: Porcelain

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White plastic

Ø: 11,84 cm

H: 7,35 cm

Measurements

H: 18,4 cm, Shade Ø: 12 cm



Reykjavik 18 by Sebastian Holmbäck

Pendant

No. 45163001 White - White cable

Master Box qty 2


Material: Porcelain

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White plastic

Ø: 11,84 cm

H: 7,35 cm

Measurements

H: 24,9 cm, Shade Ø: 18 cm



Reykjavik 22 by Sebastian Holmbäck

Pendant

No. 45173001 White - White cable

Master Box qty 2

Material: Porcelain

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White plastic

Ø: 11,84 cm

H: 7,35 cm

Measurements

H: 28 cm, Shade Ø: 22 cm



Reykjavik by Sebastian Holmbäck

Table

No. 46155001 White - White cable

Master Box qty 3

Material: Porcelain/Metal

IP20, Class 2

Textile cable: 250 cm non replaceable

Switch on cable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 34,2 cm, Shade Ø: 18,8 cm

Pipe Ø: 1 cm

Base Ø: 15,4 cm

KARMA



Metal, glass and wood comprise the perfect trinity when one is aiming for a distinctively Nordic design expression. With an intuitive feel for the coveted soft light and a functional design idiom, the Italian designer Antonia Sena has created the Karma light series, which consists of a pendant series and a wall lamp.





Karma 14 by Antonia Sena

Pendant

No. 43433012 Opal white NORDIC - White cable - Ash wood

No. 78333012 Opal white - White cable - Walnut wood

Master Box qty 3


Material: Glass/Wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E14, Max. 8W, Excl. light source

Fixture energy class A++ - A



Canopy

White plastic

Ø: 12 cm

H: 9 cm

Measurements

H: 21,5 cm, Shade Ø: 14 cm



Karma 20 by Antonia Sena

Pendant

No. 43443012 Opal white NORDIC - White cable - Ash wood

No. 78343012 Opal white - White cable - Walnut wood

Master Box qty 3

Material: Glass/Wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 23W, Excl. light source

Fixture energy class A++ - A



Canopy

White plastic

Ø: 12 cm

H: 9 cm

Measurements

H: 32 cm, Shade Ø: 20 cm



Karma 24 by Antonia Sena

Pendant

No. 78353047 Smoked - Black cable

Master Box qty 3

Material: Glass/Walnut wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 23W, Excl. light source

Fixture energy class A++ - A



Canopy

Black plastic

Ø: 12 cm

H: 7,3 cm

Measurements

H: 37 cm, Shade Ø: 24 cm



Karma 14 by Antonia Sena

Wall

No. 78321047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal/Walnut wood


IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

E14, Max. 8W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 24 cm, W: 14 cm, D: 21 cm

Shade Ø: 14 cm

Base mount: Ø 14 cm



Float 18 by Bjørn + Balle

Pendant

No. 43203001 Opal white NORDIC - White cable - Ash wood
 No. 78203001 Opal white - White cable - Walnut wood
 No. 78203030 Copper - Black cable - Walnut wood
 No. 78203032 Brushed steel - Black cable - Walnut wood

Master Box qty 3
 Material: Glass/Wood - Metal/Wood
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source
 Fixture energy class A++ - D



Canopy
 White/Black plastic
 Ø: 12 cm
 H: 9 cm

Measurements
 H: 26,5 cm, Shade Ø: 18 cm



Float 27 by Bjørn + Balle

Pendant

No. 43213001 White/Opal white NORDIC - White cable - Ash wood
 No. 78213001 Opal white - White cable - Walnut wood
 No. 78213030 Copper - Black cable - Walnut wood
 No. 78213032 Brushed steel - Black cable - Walnut wood

Master Box qty 3
 Material: Glass/Wood - Metal/Wood
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source
 Fixture energy class A++ - D



Canopy
 White/Black plastic
 Ø: 12 cm
 H: 9 cm

Measurements
 H: 24,5 cm, Shade Ø: 27 cm





Float 39 by Bjørn + Balle

Pendant

No. 78223030 Copper - Black cable

No. 78223032 Brushed steel - Black cable

Master Box qty 2

Material: Metal/Walnut wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy


Black plastic

Ø: 12 cm

H: 9 cm

Measurements

H: 27 cm, Shade Ø: 39 cm



Float by Bjørn + Balle

Wall

No. 83001030 Copper - Black cable

No. 83001032 Brushed steel - Black cable

Master Box qty 3

Material: Metal/Walnut wood


IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 18,5 cm, D: 16,5 cm

Shade Ø: 12,5 cm

Base mount: Ø 12,5 cm






Nexus 10 by Bønnelycke mdd

Pendant

No. 77253001 White - White cable
 No. 77253003 Black - Black cable
 No. 77253010 Grey - Grey cable
 No. 77253032 Brushed steel - Black cable

Master Box qty 3
 Material: Metal/Plastic
 IP20, Class 2
 Textile cable: 250 cm non replaceable
 GU10, Max. 6W, Incl. 3W LED SMD
 Light source: Lumen 200, Kelvin 2.700, Candela 90
 Life hours 25.000, RA 80, Beam angle 110°, Not dimmable
 Light source energy class A+
 Fixture energy class A++ - A




Nexus 20 by Bønnelycke mdd

Pendant

No. 77263001 White - White cable
 No. 77263003 Black - Black cable
 No. 77263010 Grey - Grey cable
 No. 77263032 Brushed steel - Black cable

Master Box qty 2
 Material: Metal/Plastic
 IP20, Class 2
 Incl. acrylic diffuser
 Textile cable: 250 cm non replaceable
 E27, Max. 40W, Excl. light source
 Fixture energy class A++ - D





Nexus 20 by Bønnelycke mdd

Pendant

No. 77243032 Brushed steel - Black cable

Master Box qty 1

Material: Metal/Plastic


IP20, Class 2

Incl. acrylic diffuser

Textile cable: 250 cm replaceable

E27, Max. 3X40W, Excl. light source

Fixture energy class A++ - D



Canopy

Brushed steel metal

Measurements

H: 25 cm, W: 5,5 cm, L: 113 cm

Shade Ø: 20 cm

Shade H: 25 cm



Nexus 10 by Bønnelycke mdd

Wall

No. 77271001 White - White cable

No. 77271003 Black - Black cable

No. 77271010 Grey - Black cable

No. 77271032 Brushed steel - Black cable

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture


GU10, Max. 6W, Incl. 3W LED SMD

Light source: Lumen 200, Kelvin 2.700, Candela 90

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



Canopy

White/Black plastic

Measurements

H: 22 cm, D: 21 cm

Shade Ø: 10 cm

Shade H: 15 cm

Pipe Ø: 1,3 cm

Base mount: Ø 12 cm



Nexus 10 by Bønnelycke mdd

Table

No. 77285001 White - White cable

No. 77285003 Black - Black cable

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

Cable: 250 cm non replaceable

Switch on fixture

GU10, Max. 6W, Incl. 3W LED SMD,

Light source: Lumen 200, Kelvin 2.700, Candela 90

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A




Measurements

H: 63 cm, Shade Ø: 10 cm

Shade H: 15 cm

Pipe Ø: 1,3 cm

Base Ø: 20 cm



Nexus 10 by Bønnelycke mdd

Floor

No. 77294001 White - White cable

No. 77294003 Black - Black cable

No. 77294010 Grey - Grey cable

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

Cable: 250 cm non replaceable

Switch on fixture

GU10, Max. 6W, Incl. 3W LED SMD,

Light source: Lumen 200, Kelvin 2.700, Candela 90

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



Measurements

H: 142 cm, Shade Ø: 10 cm

Shade H: 15 cm

Pipe Ø: 1,3 cm

Base Ø: 26 cm



pa tt on

designed by Bønnelycke mdd





Patton by Bønnelycke mdd

Pendant

No. 84453001 White - White cable

No. 84453003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A



Patton by Bønnelycke mdd

Wall

No. 84471001 White - White cable

No. 84471003 Black - Black cable

Master Box qty 3

Material: Metal


IP20, Class 2

Cable: 180 cm replaceable

Switch/dimmer on fixture

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A





Patton by Bønnelycke mdd

Floor

No. 84464001 White - White cable

No. 84464003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2


Adjustable pole

Cable: 180 cm non replaceable

Switch/dimmer on fixture

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A



Measurements

H: 130 cm, Shade Ø: 12 cm

Shade H: 18,4 cm

Base Ø: 31,8 cm



Sence 16 by Maria Berntsen

Pendant

No. 46073001 Opal white - White cable

No. 46073047 Smoked - Black cable

Master Box qty 3


Material: Glass

IP20, Class 2

Textile cable: 300 cm non replaceable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D



Sence 21 by Maria Berntsen

Pendant

No. 46083001 Opal white - White cable

No. 46083047 Smoked - Black cable

Master Box qty 3


Material: Glass

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D





Sence by Maria Berntsen

Wall

No. 46101001 White/Opal white - White cable

No. 46101047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 2

Cable: 250 cm non replaceable

Switch on fixture

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 21 cm, D: 30,65 cm

Shade Ø: 16,5 cm

Pipe Ø: 1,6 cm

Base mount: Ø 11 cm



Sence by Maria Berntsen

Table

No. 46125001 White/Opal white - White cable

No. 46125047 Black/Smoked - Black cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2

Cable: 250 cm non replaceable

Switch on cable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 56,5 cm, Shade Ø: 21 cm

Pipe Ø: 1,57 cm

Base Ø: 17 cm

Direct the light with
the magnet mounted
on the cord.



DIM TO WARM



2700K

2200K

Angle by Maria Berntsen Pendant

No. 48163001 White - White cable

No. 48163003 Black - Black cable

No. 48163011 Grey - Grey cable

Master Box qty 3

Material: Metal/Plastic - Metal

IP20, Class 2


Textile cable: 300 cm non replaceable

Fixed LED, Incl. 10W LED, 5 year LED guarantee

Light source: Lumen 700, Kelvin 2.700 - 2.200 - DIM TO WARM

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



Canopy

White/Black/Grey plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

Shade Ø: 20,6 cm

Shade H: 24,5 cm





DIM TO WARM



Fura 25 by Bønnelycke mdd Pendant

No. 48103001 White - White cable

No. 48103003 Black - Black cable

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

Textile cable: 300 cm non replaceable


Fixed LED, Incl. 15W LED, 5 year LED guarantee

Light source: Lumen 1000, Kelvin 2.700 - 2.200 - DIM TO WARM

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

NEW



Canopy

White/Black plastic

Ø: 11,4 cm

H: 8,2 cm

Measurements

Shade Ø: 25 cm

Shade H: 11 cm



DIM TO WARM



Fura 40 by Bønnelycke mdd Pendant

No. 48113001 White - White cable

No. 48113003 Black - Black cable

Master Box qty 1

Material: Metal/Plastic

IP20, Class 2

Textile cable: 300 cm non replaceable


Fixed LED, Incl. 24W LED, 5 year LED guarantee

Light source: Lumen 1600, Kelvin 2.700 - 2.200 - DIM TO WARM

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

NEW



Canopy

White/Black plastic

Ø: 11,4 cm

H: 8,2 cm

Measurements

Shade Ø: 40 cm

Shade H: 11 cm





Moku 29 by Bønnelycke mdd

Pendant

No. 48123001 Grey - White cable

No. 48123003 Black - Black cable

Master Box qty 2

Material: Metal/Ash wood

IP20, Class 2


Incl. 2 changeable shade tops in wooden

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - A

NEW



Canopy

White/Black plastic

Ø: 11,8 cm

H: 7,35 cm

Measurements

Shade Ø: 29 cm

Shade H: 36,2 cm






Artist 25 by Bønnelycke mdd

Pendant

No. 83083003 Black - Black cable
 No. 83083010 Grey - Grey cable
 No. 83083030 Copper - Black cable
 No. 83083054 Silver - Black cable

Master Box qty 2
 Material: Metal/Plastic
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 Fixed LED, Incl. 14W LED, 5 year LED guarantee
 Light source: Lumen 1.000, Kelvin 2.700
 Life hours 20.000, RA 80, Beam angle 120°, Dimmable
 Fixture energy class A++ - A



Canopy
 Black/Grey plastic
 Ø: 11,4 cm
 H: 8,2 cm

Measurements
 Shade Ø: 25 cm
 Shade H: 6 cm




Artist 40 by Bønnelycke mdd

Pendant

No. 83093003 Black - Black cable
 No. 83093010 Grey - Grey cable
 No. 83093030 Copper - Black cable
 No. 83093054 Silver - Black cable

Master Box qty 1
 Material: Metal/Plastic
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 Fixed LED, Incl. 24W LED, 5 year LED guarantee
 Light source: Lumen 1.460, Kelvin 2.700
 Life hours 20.000, RA 80, Beam angle 120°, Dimmable
 Fixture energy class A++ - A

Artist 40 in copper is the
 proud winner of both
 Red Dot Award and
 iF Award 2017



Canopy
 Black/Grey plastic
 Ø: 11,4 cm
 H: 8,2 cm

Measurements
 Shade Ø: 40 cm
 Shade H: 6 cm





Aver 30 by Carlo Volf Pendant

No. 84243003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy
Black plastic
Ø: 11,8 cm
H: 7,35 cm

Measurements
H: 35 cm, Shade Ø: 30 cm



Aver 40 by Carlo Volf Pendant

No. 84253003 Black - Black cable

Master Box qty 1

Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy
Black plastic
Ø: 11,8 cm
H: 7,35 cm

Measurements
H: 45,5 cm, Shade Ø: 40 cm



Aver 50 by Carlo Volf Pendant

No. 84263003 Black - Black cable

Master Box qty 1

Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source


Fixture energy class A++ - D



Canopy
Black plastic
Ø: 11,8 cm
H: 7,35 cm

Measurements
H: 54,5 cm, Shade Ø: 50 cm






Belly 29 by Bønnelycke mdd

Pendant

No. 45053003 Black - Black cable

Master Box qty 2
 Material: Metal
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source
 Fixture energy class A++ - D



Canopy
 Black plastic
 Ø: 12 cm
 H: 7,3 cm

Measurements
 H: 28 cm, Shade Ø: 29 cm



Belly 38 is the proud
 winner of a Red Dot Award 2018



reddot award 2018
 winner

Belly 38 by Bønnelycke mdd

Pendant

No. 45063003 Black - Black cable

Master Box qty 1
 Material: Metal
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source
 Fixture energy class A++ - D



Canopy
 Black plastic
 Ø: 12 cm
 H: 7,3 cm

Measurements
 H: 33 cm, Shade Ø: 38 cm



Belly 46 by Bønnelycke mdd

Pendant

No. 45073003 Black - Black cable

Master Box qty 1
 Material: Metal
 IP20, Class 2
 Textile cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source
 Fixture energy class A++ - D



Canopy
 Black plastic
 Ø: 12 cm
 H: 7,3 cm

Measurements
 H: 38 cm, Shade Ø: 46 cm





Emission 17 by Carlo Volf

Pendant

No. 72743003 Black - Clear cable

Master Box qty 3


Material: Metal

IP20, Class 2

Cable: 300 cm non replaceable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

Black metal

Ø: 8,5 cm

H: 2,5 cm

Measurements

Shade Ø: 17 cm

Shade H: 23 cm



Emission 26 by Carlo Volf

Pendant

No. 72753003 Black - Clear cable

Master Box qty 3


Material: Metal

IP20, Class 2

Cable: 300 cm non replaceable

E27, Max. 75W, Excl. light source

Fixture energy class A++ - D



Canopy

Black metal

Ø: 8,5 cm

H: 2,5 cm

Measurements

Shade Ø: 26 cm

Shade H: 34 cm



Jubilee by Bønnelycke mdd

Pendant

No. 45013001 White - White cable

No. 45013003 Black - Black cable

Master Box qty 2


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy

White/Black plastic

Ø: 11,5 cm

H: 9 cm

Measurements

H: 20 cm, Shade Ø: 40 cm



Fascino by Antonia Sena

Pendant

No. 77213003 Black - Black cable

Master Box qty 2


Material: Metal

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy

Black plastic

Ø: 11,7 cm

H: 9 cm

Measurements

Shade Ø: 30 cm

Shade H: 26,5 cm




Bloom 16 by Bjørn + Balle

Pendant

No. 78163030 Opal white - White cable

Master Box qty 3
 Material: Glass/Metal
 IP20, Class 2
 Incl. 2 changeable shade tops
 Textile cable: 300 cm non replaceable
 E27, Max. 40W, Excl. light source
 Fixture energy class A++ - D




Bloom 21 by Bjørn + Balle

Pendant

No. 78173030 Opal white - White cable

Master Box qty 2
 Material: Glass/Metal
 IP20, Class 2
 Incl. 2 changeable shade tops
 Textile cable: 300 cm non replaceable
 E27, Max. 40W, Excl. light source
 Fixture energy class A++ - D




Bloom 29 by Bjørn + Balle

Pendant

No. 78183030 Opal white - White cable

Master Box qty 2
 Material: Glass/Metal
 IP20, Class 2
 Incl. 2 changeable shade tops
 Textile cable: 300 cm non replaceable
 E27, Max. 40W, Excl. light source
 Fixture energy class A++ - D







LD 240 by Laterna Danica

Pendant

No. LD240301 White - White cable

Master Box qty 1

Material: Metal/Glass

IP20, Class 2

Incl. 4 changeable coloured rings

Textile cable: 300 cm non replaceable

E27, Max. 75W, Excl. light source

Fixture energy class A++ - D



Canopy

White metal

Ø: 8,5 cm

H: 2,5 cm

Measurements

H: 23 cm, Shade Ø: 40 cm



Motion 50 by Bønnelycke mdd

Pendant

No. 78313001 White - White cable

Master Box qty 2


Material: Polycarbonate

IP20, Class 2

Textile cable: 400 cm non replaceable

E27, Max. 75W, Excl. light source

Fixture energy class A++ - D



Canopy

White plastic

Ø: 12 cm

H: 9 cm

Measurements

H: 40,5 cm, Shade Ø: 50 cm





Saturn by Seidenfaden Design

Pendant

No. 83273001 White - White cable

Master Box qty 2


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

White plastic

Ø: 11,5 cm

H: 8,2 cm

Measurements

H: 32,5 cm, Shade Ø: 40,2 cm



Spider by Bønnelycke mdd

Pendant

No. 83213003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

Incl. fixed Led and GU10 socket

Textile cable: 300 cm non replaceable


GU10, Max. 8W, Incl. 4X1.5W LED

Light source: Lumen 4X480, Kelvin 2.700

Life hours 20.000, RA 80, Dimmable

Light source energy class A+

Fixture energy class A++ - B GU10 socket



Canopy

Black plastic


Ø: 11,5 cm

H: 8,2 cm

Measurements

H: 47,5 cm, Shade Ø: 27,5 cm





Slope 22 by Bønnelycke mdd

Pendant

No. 71713001 Black/White - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

Black metal
Ø: 8,5 cm
H: 2,5 cm

Measurements

Shade Ø: 22 cm
Shade H: 30 cm



Slope 35 by Bønnelycke mdd

Pendant

No. 71723001 Black/White - Black cable

Master Box qty 2


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Canopy

Black metal
Ø: 8,5 cm
H: 2,5 cm

Measurements

Shade Ø: 35 cm
Shade H: 30 cm



Slope 50 by Bønnelycke mdd

Pendant

No. 71733001 Black/White - Black cable

Master Box qty 1


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 75W, Excl. light source

Fixture energy class A++ - D



Canopy

Black metal
Ø: 8,5 cm
H: 2,5 cm

Measurements

Shade Ø: 50 cm
Shade H: 30 cm






Funk by Bønnelycke mdd

Pendant

No. 75470001 White - White cable
 No. 75470002 Red - Red cable
 No. 75470003 Black - Black cable
 No. 75470030 Copper - Copper cable

Master Box qty 6
 Material: Metal
 IP20, Class 2
 Textile cable: 250 cm non replaceable
 E27, Max. 60W, Excl. light source
 Fixture energy class A++ - D




Monte 3 by Bønnelycke mdd

Rail

No. 79459901 White
 No. 79459932 Brushed steel

Master Box qty 3
 Material: Metal
 IP20, Class 2
 Cable: Excl. cable
 Excl. light source





Stripped by Bjørn + Balle

Pendant

No. 84373030 Copper - Black cable

Master Box qty 3

Material: Metal/Wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Canopy

Black plastic

Ø: 9,2 cm

H: 7,2 cm

Measurements

H: 20 cm, Ø: 5,7 cm



Tippy by Bønnelycke mdd

Wall

No. 45181001 White - White cable

No. 45181003 Black - Black cable

Master Box qty 2

Material: Metal


IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

E27, Max. 15W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - D



Measurements

H: 19,4 cm, D: 22,5 cm

Shade Ø: 9,6 cm

Base mount: Ø10 cm



Arki by Bønnelycke mdd

Table

No. 75145001 White - White cable

No. 75145003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2


Incl. clamp-, table- and wall fixture

Cable: 180 cm non replaceable

Switch on fixture

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Measurements

H: 52 cm, Shade Ø: 20 cm

Shade H: 20 cm

Base Ø: 25 cm






Alba Pro 30 by Bønnelycke mdd

Plafond

No. 77176001 White/Opal white

Master Box qty 3
 Material: Aluminium/Acrylic
 IP20, Class 2
 Cable: Excl. cable
 Fixed LED, Incl. 14W LED, 5 year LED guarantee
 Light source: Lumen 1.000, Kelvin 2.700
 Life hours 20.000, RA 80, Beam angle 120°, Dimmable
 Fixture energy class A++ - A



Measurements
 D: 11,7 cm
 Shade Ø: 30 cm
 Base mount: Ø10,6 cm
 Tilt angle: 35°




Alba Pro 40 by Bønnelycke mdd


Plafond

No. 77186001 White/Opal white

Master Box qty 3
 Material: Aluminium/Acrylic
 IP20, Class 2
 Cable: Excl. cable
 Fixed LED, Incl. 24W LED, 5 year LED guarantee
 Light source: Lumen 1.600, Kelvin 2.700
 Life hours 20.000, RA 80, Beam angle 120°, Dimmable
 Fixture energy class A++ - A



Measurements
 D: 11,7 cm
 Shade Ø: 38,5 cm
 Base mount: Ø10,6 cm
 Tilt angle: 35°



Alba by Bønnelycke mdd

Plafond

No. 77196001 White/Opal white

No. 77196010 Grey/Opal white

Master Box qty 3
 Material: Metal/Plastic
 IP20, Class 1
 Cable: Excl. cable
 Fixed LED, Incl. 12W LED, 5 year LED guarantee
 Light source: Lumen 840, Kelvin 3.000, Candela 245
 Life hours 50.000, RA 80, Beam angle 120°, Not dimmable
 Fixture energy class A++ - A



Measurements
 D: 13 cm
 Shade Ø: 30 cm
 Base mount: Ø10 cm
 Tilt angle: 15°





La Luna by Bønnelycke mdd

Plafond

No. 45306001 White/Opal white

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

Cable: Excl. cable

Fixed LED, Incl. 24W LED, 5 year LED guarantee

Light source: Lumen 1.460, Kelvin 2.700

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



Measurements

D: 5 cm

Shade Ø: 41 cm



La Luna by Bønnelycke mdd

Plafond

No. 45316001 White/Opal white

Master Box qty 1

Material: Metal/Plastic

IP20, Class 2

Cable: Excl. cable

Fixed LED, Incl. 55W LED, 5 year LED guarantee

Light source: Lumen 3.500, Kelvin 2.700

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



Measurements

D: 5,3 cm

Shade Ø: 60 cm



*FSC® stands for Forest Stewardship Council® and is a recognised international non-profit labelling scheme for wood and paper.

FSC certification ensures responsible forest management and improved living conditions for the local population in forests worldwide.

FSC-C124559



IN A GENTLE WAY - WE CAN SHAKE THE WORLD

Nordlux is one of Scandinavia's leading suppliers of lighting.

We design and manufacture lighting with great knowledge of, and consideration for, how light affects us humans and our wellbeing. It is an essential part of our product development. With manufacturing and product development also comes responsibility – a responsibility to protect the resources we have available, and the people we work with.

At the immediate level, this mainly concerns investing in continuous improvement, including our product development. By focusing on low prices, we commit ourselves to looking at new, simple solutions and processes that use less material, as well as long-life technology. Basically, this means that we take into account many more elements than just that a design should be nice to look at. We assess whether a design can be made more appropriate and less costly through small adjustments. For example, it makes sense for the installation of our lamps to be as simple as possible, ensuring that no additional resources are required for installation. That is why we have more than 60 dedicated engineers, each with more than 10 years of experience in lighting technology, in our development department, all constantly working with this focus.

We are at the forefront when it comes to the development of energy-saving LED technology. You no longer need to compromise between the desire for a warm, pleasant light, innovative design, and the desire to keep power consumption down. Development in this area moves quickly, and new solutions and processes are constantly emerging, making it possible to combine aesthetics with greener technology.

FSC

We focus on protecting our resources and the environment. This is one of the reasons why we have been FSC certified since 2016. FSC certification is about using trade forest products such as wood and paper from responsible sources, and ensuring clear traceability for the wood – all the way from forest to the finished product in the shop. Responsible sources refers to local populations, animals and plant life being taken into consideration, that logging is done in an environmentally appropriate way and that the deforested areas are replanted.

The desire and motivation for FSC certification of the products which include wood is a natural continuation and development of our approach to environment and sustainability – and we will continue to demand FSC certified wood for those of our design products that include wood.

We see sustainability as a task involving everyone associated with Nordlux – from the owners, board and management to employees and suppliers.

IP

Første ciffer
First number
Erste Nummer
Premier chiffre
Första ciffer

Andet ciffer
Andra ciffer
Zweite Nummer
Second number
Deuxième chiffre

IP kapselklasser

IP kapselklasser

Degree and protection

Degré de protection

Schutzgrad

0

Ikke beskyttet
Ej beskyddad
Nicht geschützt
Not protected
Non protégé

0

Ikke beskyttet
Ej beskyddad
Nicht geschützt
Not protected
Non protégé

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

1

Faste genstande større end 50 mm
Fast föremål större än 50 mm
Eindringen von Fremdkörpern grösser als 50 mm
Solid objects larger than 50 mm
Les corps solides de plus de 50 mm

1

Lodret dryppende vand
Lodrätt droppande vatten
Senkrecht tropfendes Wasser
Vertically dripping water
Les chutes verticales de gouttes d'eau

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

2

Faste genstande større end 12 mm
Fast föremål större än 12 mm
Eindringen von Fremdkörpern grösser als 12 mm
Solid objects larger than 12 mm
Les corps solides de plus de 12 mm

2

Dryppende vand ved en hældning på indtil 15° grader
Droppande vatten, vid en lutning på upp till 15° grader
Tropfendes Wasser bei einer Neigung bis zu 15° Grad
Vertically dripping water at an inclination of 15° degrees
Les chutes d'eau avec inclinaison maximale de 15°

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

3

Faste genstande større end 2,5 mm
Fast föremål större än 2,5 mm
Eindringen von Fremdkörpern grösser als 2,5 mm
Solid objects larger than 2,5 mm
Les corps solides de plus de 2,5 mm

3

Vandsprøjt i en vinkel på indtil 60° grader
Vattenstänk i en vinkel på upp till 60° grader
Spritzwasser in einem Winkel bis zu 60° Grad
Splashes of water at an angle of up to 60° degrees
Les chutes d'eau avec inclinaison maximale de 60°

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

4

Faste genstande større end 1,0 mm
Fast föremål större än 1,0 mm
Eindringen von Fremdkörpern grösser als 1,0 mm
Solid objects larger than 1,0 mm
Les corps solides de plus de 1,0 mm

4

Oversprøjtning
Nedstänkning
Übersprühen
Sprinkling of water
Les projections d'eau

5

Støvsærmet
Avskärmad mot damm
Staubgeschützt
Dust protected
Protégé contre la poussière

5

Beskyttet mod vandstråler
Beskyddad mot vattenstrålar
Geschützt gegen Wasserstrahlen
Protected against water jets
Protégé contre les jets d'eau

6

Støvtæt
Dammtät
Staubdicht
Dust-proof
Étanche à la poussière

6

Beskyttet mod kraftige bølger
Beskyddad mot kraftiga vågor
Geschützt gegen kräftigen Wellen
Protected against strong waves
Protégé contre les paquets de mer

7

Beskyttet mod følgerne af forbigående nedsænkning i vand
Beskyddad mot följden av kortvarig nedsänkning i vatten
Geschützt gegen Folgen durch zeitweises Unterwassertauchen
Protected against the effects of temporary immersion in water
Protégé contre les suites d'un plongement occasionnel dans l'eau



LUMEN

(lm) is the measurement unit for luminous flux. Luminous flux is the total amount of light that the light source submits.



KELVIN

(K) is the colour temperature of the light source- the higher number the colder light.
3000 K = warm white
4000 K = neutral white
6500 K = daylight white



RA

is the colour rendering that the light source provides.



CANDELA

(cd) is the measurement amount for brightness per angle that is submitted from a light source.

GB - The LED technology is constantly undergoing major development which contributes to continuous arrival of new and better LED bulbs on the market. Nordlux always strives to deliver the latest LED technology to our customers, which is why when purchasing lighting or bulbs, the new bulbs can seem different, with improved colour/light output/design.

*For additional bulb info please go to www.nordlux.com.

DK - LED er til stadighed under en betydelig udviklingsproces, som bevirker, at der med stor hyppighed kommer nye og bedre LED pærer på markedet. Nordlux bestræber sig på altid at levere den nyeste LED teknik til vores kunder, hvorfor man ved genkøb af lamper og ved tilkøb af pærer kan opleve, at de nye pærer har anderledes og forbedret farve/lysudbytte/udformning.

*For supplerende pæreoplysninger gå venligst til www.nordlux.com

SE - LED är fortfarande under en betydande utvecklingsprocess, som bidrar till att det i snabb takt kommer nya och bättre LED lampor på marknaden. Nordlux strävar efter att leverera den senaste LED-tekniken till sina kunder, därför kan man vid återköp eller vid köp av nya lampor uppleva att de nya lamporna har en annorlunda och förbättrad färg/ljusflöde/utformning.

*För ytterligare information angående ljuskälla vänligen gå till www.nordlux.com

FR - LED est constamment en développement important, ce qui a pour effet d'amener très fréquemment de nouvelles ampoules LED améliorées sur le marché. Nordlux s'efforce de toujours fournir la dernière technologie LED à nos clients ; c'est pourquoi, lorsque vous rachetez des lampes et acquérez des ampoules, vous pouvez trouver que les nouvelles ampoules ont une couleur/une sortie de lumière/un design différents et améliorés.

*Pour plus d'informations concernant l'ampoule merci de visiter www.nordlux.com.

DE - LED unterliegt ständig einem bedeutenden Entwicklungsprozess, durch den mit großer Geschwindigkeit neue und bessere LED-Lampen auf den Markt kommen. Nordlux ist bestrebt, Ihren Kunden immer die neueste LED-Technik anzubieten, wodurch man beim Neukauf von Leuchten und Nachkauf von Leuchtmitteln erleben kann, dass die neuen Leuchtmittel eine andere und verbesserte Farbe, Lichtausbeute und Form haben.

*Für weitere Informationen gehen Sie bitte zu Leuchtmittel www.nordlux.com.

MANAGEMENT



Peter G. Terkelsen
CEO

T +45 96 34 54 08
pt@nordlux.com



Kasper Granat
CPMO

T +45 60 63 60 63
kg@nordlux.com



Niels S. Jakobsen
CFO

T +45 40 82 07 00
nj@nordlux.com



Summer Gao
CSO

T +45 31 40 08 08
sg@nordlux.com

MARKETING



Julie Kindberg
Marketing Manager
Product Marketing

T + 45 20 97 20 17
jki@nordlux.com



Anna-Mette H. Rasmussen
Graphic Designer
Product Marketing

T +45 96 34 54 01
ar@nordlux.com



Andreas From Bock
Graphic Designer
Product Marketing

T +45 96 34 54 11
af@nordlux.com

SEGMENT SALES



Lene Egelund Hanghøj
Key Account Manager
Discounter
T + 45 42 42 23 18
leh@nordlux.com



Jean-Louis Cornu
Export Manager
M + 45 29 92 13 05
jlc@nordlux.com

SALES DENMARK



Jan Madsen
Nordic Sales Manager

M + 45 31 50 16 11
jm@nordlux.com



Jan Bo Jensen
Key Account Manager
Sales operation | Jutland

M +45 27 11 60 48
jb@nordlux.com



Jan Peter Rantzau-Bartens
Key Account Manager
Sales operation | Seeland

M +45 81 77 10 82
jrb@nordlux.com



Carsten Johnsen
Sales Consultant
Sales operation | Seeland

M +45 20 71 16 11
cj@nordlux.com



Hans Aamand Nielsen
Sales Consultant
Sales operation | Jutland

M +45 22 71 66 11
haa@nordlux.com



Kurt Kristensen
Team Leader Merchandiser
Sales operation | Denmark

M +45 20 66 16 11
kk@nordlux.com



Jesper Bach-Kristensen
Sales Merchandiser
Sales operation | Denmark

M +45 42 56 16 11
jbk@nordlux.com



Peter Nielsen
Sales Merchandiser
Sales operation | Jutland

M +45 21 22 36 11
pn@nordlux.com



Jannik Jessen
Sales Merchandiser
Sales operation | Jutland

M +45 22 72 16 11
jaje@nordlux.com



Ticho Lohmann
Sales Merchandiser
Sales operation | Seeland

M +45 40 82 61 11
tl@nordlux.com



Jesper Staalgaard
Sales Merchandiser
Sales operation | Seeland

M +45 40 70 16 11
jps@nordlux.com

SALES SWEDEN



Anna Broberg
Country Manager
Sales operation | Sweden

M + 46 73 578 58 08
ab@nordlux.com



Stefan Peterson
Sales Consultant
Sales operation | Sweden

M + 46 70 37 95 182
spe@nordlux.com



Mari Berg
Sales Consultant
Sales operation | Sweden

M + 46 70 937 26 37
mb@nordlux.com

SALES NORWAY



Henning Mjåtveit
Team & Key Account Manager
Sales operation | Norway

M +47 91 39 54 31
hmt@nordlux.com



Jan Olav Gjelsnes
Sales Consultant
Sales operation | Norway

M +47 92 89 91 23
jog@nordlux.com



Leif Christian Olsen
Sales Consultant
Sales operation | Norway

M +47 91 90 13 20
lco@nordlux.com



Odd-Ivar Jenskaug
Sales Consultant
Sales operation | Norway

M +47 400 11 491
oij@nordlux.com

SALES UK



John Griffiths
Managing Director UK

T + 01200 422777
jg@nordlux.com



Phil Edwards
Account Manager UK

T + 44 7921 47 76 46
pe@nordlux.com



Emma Carter
Sales Admin

T + 01200 422777
ec@nordlux.com



Adam Thornber
Sales Admin

T + 01200 422777
at@nordlux.com

SALES FRANCE, HOLLAND & BELGIUM



Axel Hamelink
Country Manager FR & BL
Sales operation | France,
Holland & Belgium
T + 32 497 45 1202
ah@nordlux.com



Gildas Juestz de Mire
Country Director France
Sales operation | France
T + 33 6 26 25 18 10
gj@nordlux.com



Nicolas Warin
Sales Manager France
Sales operation | France
T + 33 6 87 55 74 42
nw@nordlux.com



Sebastien Foubert Bloch
Sales Consultant
Sales operation | France
T + 33
sfb@nordlux.com



Agnès Prévoté
Sales Coordinator France
Sales operation | France
T + 33 1 30 71 76 39
ap@nordlux.com



Ronald Mulder
Sales Manager NL
Sales operation | NL

T + 31 630 74 51 03
rm@nordlux.com



Ruben Langhorst
Account Manager NL
Sales operation | NL

T + 31 6 20 53 61 82
rl@nordlux.com



Fabian Deraut
Sales Manager BELUX
Sales operation | BELUX

T + 32 497 41 03 73
fd@nordlux.com



Ilse Vanschoonbeek
Sales Assistant
Sales operation | BELUX

T + 32 15 25 76 43
customerservice@energeticalighting.eu



Sarah Verheyden
Sales Assistant
Sales operation | BELUX

T + 32 15 25 76 44
customersupport@energeticalighting.eu

SALES GERMANY



Martin Klasterka
Managing Director DACH
Sales operation | Germany

M +49 170 453 3344
mk@nordlux.com



Sonja Treumann
Sales Assistant
Sales operation | Germany

M +49 21 52 89 87 37
st@nordlux.com



Franz Kiefer
Key Account Manager
Sales operation | Germany

M +49 175 567 56 04
fk@nordlux.com



Matthias Kasperek
Sales Agent
Northern Germany

M +49 172 53 34 780
m.kasperek1@yahoo.de

SALES GERMANY



Udo Koch

Sales Agent
Western Germany
M +49 174 89 94 502
F +49 321 21 191 755
info@koch-lichtdesign.de



Jan Schwuchow

Sales Agent
Eastern Germany
M +49 178 52 91 173
jan.schwuchow@online.de



Roland Pichl

Sales Agent
Southern Germany,
Austria, South Tyrol
M +49 171 54 76 999
pi-rol@t-online.de



Jørg Serup

Global Pricing Manager
T + 45 96 34 54 07
M + 45 22 15 96 11
js@nordlux.com

BACK OFFICE



Betina Kowalski
Global Back Office
Manager

T +45 22 21 16 11
bk@nordlux.com



Dorte G. Jørgensen
Team & Sales Coordinator
Sales operation |
SE, NO & FI
T +45 96 34 54 06
dgj@nordlux.com



Jette Jensen
Team & Sales Coordinator
Sales operation | Denmark
T +45 96 34 54 27
jj@nordlux.com



Sussi Buchholdt Steen
Key Account Supporter
Sales operation |
Scandinavia
T +45 96 34 54 13
sbs@nordlux.com



Hanne M. Jensen
Sales Assistant
Sales operation | Denmark,
Greenland, Faroe Islands
T +45 96 34 54 02
hmj@nordlux.com



Helle Iversen
Sales Assistant
Sales operation | Denmark,
Greenland, Faroe Islands
T +45 96 34 54 10
hi@nordlux.com



Gitte Visse
Sales Assistant
Sales operation | Denmark
T +45 96 34 54 03
gv@nordlux.com



Allan Carol Nicolajsen
Sales Trainee
Sales operation | Denmark
T +45 96 34 54 30
acn@nordlux.com



Berit Støve
Sales Assistant
Sales operation
SE, NO & FI
T +45 96 34 54 33
bst@nordlux.com



Michelle Kalisch
Sales Assistant
Sales operation
SE, NO & FI
T + 45 96 34 54 31
mik@nordlux.com



Katrin Løkke
Sales Assistant
Sales operation | Germany

T +45 96 34 54 36
kl@nordlux.com



Lene K. Kristensen
Sales Assistant
Sales operation | Germany

T +45 96 34 54 05
lkk@nordlux.com



Rikke Giese
Sales Assistant
Sales operation | Export

T + 45 96 34 54 12
rg@nordlux.com



Sahra Vistisen Rahal
Sales Assistant
Sales operation | Export

T + 45 96 34 54 28
sra@nordlux.com

PRODUCT MANAGEMENT



Gert Blommaart
Product Management
Nordlux Indoor

T +32 486 83 63 55
gb@nordlux.com



Lone Bødker
Product Management
Design For The People

T +45 96 34 54 23
lb@nordlux.com



Mia Rasmussen
Product Management
Nordlux Decorative

T + 45 24 57 37 97
mir@nordlux.com



Marcus Liehr
Product Management
Nordlux Functional

T +45 98 18 16 11
ml@nordlux.com



Kenny Van Den Bosch
Product Management
Bulbs

T ++32 15 25 76 56
kvb@nordlux.com



Anouck Granjé
Product Management
Bulbs

T +32 15 25 76 57
ag@nordlux.com

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Alba	Ceiling	Metal, Plastic	White	77196001	5701581244580	1621938	3		146
Alba	Ceiling	Metal, Plastic	Grey	77196010	5701581257887	1640142	3		146
Alba Pro 30	Ceiling	Aluminium, Acrylic	White	77176001	5701581400382	1957588	3		146
Alba Pro 40	Ceiling	Aluminium, Acrylic	White	77186001	5701581400481	1957592	3		146
Angle	Pendant	Metal, Plastic	White	48163001	5701581452381	2042264	3		120
Angle	Pendant	Metal, Plastic	Black	48163003	5701581454880	2042289	3		120
Angle	Pendant	Metal	Grey	48163011	5701581454989	2042290	3		120
Arki	Table	Metal	White	75145001	5701581279773	1483723	2	Switch on fixture	144
Arki	Table	Metal	Black	75145003	5701581279872	1483724	2	Switch on fixture	144
Artist 25	Pendant	Metal, Plastic	Black	83083003	5701581345485	1850306	2		126
Artist 25	Pendant	Metal, Plastic	Grey	83083010	5701581301085	1761077	2		126
Artist 25	Pendant	Metal, Plastic	Copper	83083030	5701581301184	1761078	2		126
Artist 25	Pendant	Metal, Plastic	Silver	83083054	5701581386884	1921525	2		126
Artist 40	Pendant	Metal, Plastic	Black	83093003	5701581345584	1850312	1		126
Artist 40	Pendant	Metal, Plastic	Grey	83093010	5701581301283	1761080	1		126
Artist 40	Pendant	Metal, Plastic	Copper	83093030	5701581301382	1761082	1		126
Artist 40	Pendant	Metal, Plastic	Silver	83093054	5701581386983	1921526	1		126
Aver 30	Pendant	Metal	Black	84243003	5701581337183	1845277	2		128
Aver 40	Pendant	Metal	Black	84253003	5701581337282	1845278	1		128
Aver 50	Pendant	Metal	Black	84263003	5701581337381	1845279	1		128
Belly 29	Pendant	Metal	Black	45053003	5701581359581	1896398	2		130
Belly 38	Pendant	Metal	Black	45063003	5701581359680	1896399	1		130
Belly 46	Pendant	Metal	Black	45073003	5701581359789	1896400	1		130
Bloom 16	Pendant	Glass, Metal	White	78163030	5701581261280	1693336	3		134
Bloom 21	Pendant	Glass, Metal	White	78173030	5701581261587	1693342	2		134
Bloom 29	Pendant	Glass, Metal	White	78183030	5701581261884	1693346	2		134
Brassy	Pendant	Metal, Plastic	White	46283001	5701581397880	1953147	3		92
Brassy	Pendant	Metal, Plastic	Black	46283003	5701581397989	1953149	3		92
Brassy	Wall	Metal, Plastic	White	46301001	5701581398085	1957556	3		92
Brassy	Wall	Metal, Plastic	Black	46301003	5701581398184	1957557	3		92
Dee	Pendant	Glass, Metal	Black	84383003	5701581339088	1845293	2		88
Dee 2.0	Pendant	Glass, Metal	White	84413001	5701581400788	1953153	2		89
Dee 2.0	Pendant	Glass, Metal	Black	84413003	5701581400887	1953154	2		89
Dee 2.0	Pendant	Glass, Metal	White	84423001	5701581400986	1953150	3		89
Dee 2.0	Pendant	Glass, Metal	Black	84423003	5701581401082	1953152	3		89
Dee 2.0	Table	Glass, Metal	White	84435001	5701581401181	1957570	3	Switch on fixture	90
Dee 2.0	Table	Glass, Metal	Black	84435003	5701581401280	1957571	3	Switch on fixture	90
Emission 17	Pendant	Metal	Black	72743003	5701581243774	1305225	3		132
Emission 26	Pendant	Metal	Black	72753003	5701581243972	1305227	3		132
Fascino	Pendant	Metal	Black	77213003	5701581244788	1621940	2		133
Float	Wall	Metal, Wood	Copper	83001030	5701581299481	1761062	3	Switch on fixture	108
Float	Wall	Metal, Wood	Brushed steel	83001032	5701581299580	1761063	3	Switch on fixture	108
Float 18	Pendant	Glass, Wood	White	78203001	5701581341586	1848138	3		106
Float 18	Pendant	Metal, Wood	Copper	78203030	5701581262287	1690365	3		106
Float 18	Pendant	Metal, Wood	Brushed steel	78203032	5701581262386	1690367	3		106
Float 27	Pendant	Glass, Wood	White	78213001	5701581341685	1848140	3		106
Float 27	Pendant	Metal, Wood	Copper	78213030	5701581262683	1690368	3		106
Float 27	Pendant	Metal, Wood	Brushed steel	78213032	5701581262782	1690371	3		106
Float 39	Pendant	Metal, Wood	Copper	78223030	5701581263086	1690790	2		108
Float 39	Pendant	Metal, Wood	Brushed steel	78223032	5701581263185	1690792	2		108
Float Nordic 18	Pendant	Glass, Wood	White	43203001	5701581385283	1921509	3		106
Float Nordic 27	Pendant	Glass, Wood	White	43213001	5701581385382	1921510	3		106
Funk	Pendant	Metal	White	75470001	5701581284470	1484139	6		142

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Funk	Pendant	Metal	Red	75470002	5701581284579	1484140	6		142
Funk	Pendant	Metal	Black	75470003	5701581284678	1484141	6		142
Funk	Pendant	Metal	Copper	75470030	5701581319189	1817335	6		142
Fura 25	Pendant	Metal, Plastic	White	48103001	5701581453883	2042279	2		122
Fura 25	Pendant	Metal, Plastic	Black	48103003	5701581453982	2042280	2		122
Fura 40	Pendant	Metal, Plastic	White	48113001	5701581454088	2042281	1		122
Fura 40	Pendant	Metal, Plastic	Black	48113003	5701581454187	2042282	1		122
Jubilee	Pendant	Metal	White	45013001	5701581358980	1896390	2		133
Jubilee	Pendant	Metal	Black	45013003	5701581359086	1896391	2		133
Karma 14	Wall	Glass, Metal	Smoked	78321047	5701581364486	1896587	3	Switch on fixture	105
Karma 14	Pendant	Glass, Wood	White	78333012	5701581265585	1691589	3		104
Karma 20	Pendant	Glass, Wood	White	78343012	5701581265981	1694024	3		104
Karma 24	Pendant	Glass, Wood	Smoked	78353047	5701581364585	1896588	3		105
Karma Nordic 14	Pendant	Glass, Wood	White	43433012	5701581386488	1921466	3		104
Karma Nordic 20	Pendant	Glass, Wood	White	43443012	5701581386587	1921512	3		104
La Luna 41	Ceiling	Metal, Plastic	White	45306001	5701581362482	1896557	2		148
La Luna 60	Ceiling	Metal, Plastic	White	45316001	5701581362581	1896558	1		148
LD 240	Pendant	Metal, Glass	White	LD240301	5701581200180	1492933	1		136
Manhattan	Pendant	Metal	Black	46253003	5701581397682	1953155	2		94
Manhattan	Wall	Metal	Black	46261003	5701581397781	1957560	2	Switch on fixture	94
MIB 6	Table	Metal	White	71655001	5701581364080	1896581	3	Switch on fixture	60
MIB 6	Table	Metal	Black	71655003	5701581364189	1896582	3	Switch on fixture	60
MIB 6	Pendant	Metal	White	71679901	5701581332485	1835496	3		60
MIB 6	Pendant	Metal	Black	71679903	5701581324084	1824817	3		60
MIB 6	Pendant	Metal	Grey	71679911	5701581475786	2042401	3		60
MIB 6	Wall	Metal	Grey	71681011	5701581475885	2042402	3	Switch on fixture	62
MIB 6	Wall	Metal	White	71689901	5701581332683	1875319	3	Switch on fixture	62
MIB 6	Wall	Metal	Black	71689903	5701581332782	1875320	3	Switch on fixture	62
MIB 6	Floor	Metal	White	71704001	5701581364288	1896585	2	Switch on fixture	63
MIB 6	Floor	Metal	Black	71704003	5701581364387	1896586	2	Switch on fixture	63
Moku 29	Pendant	Metal, Wood	Grey	48123001	5701581454286	2042283	2		40
Moku 29	Pendant	Metal, Wood	Black	48123003	5701581454385	2042284	2		124
Monte 3	Rail	Metal	White	79459901	5701581280984	1695482	3		142
Monte 3	Rail	Metal	Brushed steel	79459932	5701581281080	1695483	3		111
Motion 50	Pendant	Polycarbonate	White	78313001	5701581265080	1691574	2		136
Nexus 10	Pendant	Metal, Plastic	White	77253001	5701581244986	1621942	3		110
Nexus 10	Pendant	Metal, Plastic	Black	77253003	5701581245082	1621943	3		110
Nexus 10	Pendant	Metal, Plastic	Grey	77253010	5701581245181	1621944	3		110
Nexus 10	Pendant	Metal, Plastic	Brushed steel	77253032	5701581252882	1630137	3		110
Nexus 10	Wall	Metal, Plastic	White	77271001	5701581245785	1621950	3	Switch on fixture	111
Nexus 10	Wall	Metal, Plastic	Black	77271003	5701581245884	1621951	3	Switch on fixture	111
Nexus 10	Wall	Metal, Plastic	Grey	77271010	5701581245983	1621952	3	Switch on fixture	111
Nexus 10	Wall	Metal, Plastic	Brushed steel	77271032	5701581254084	1630139	3	Switch on fixture	111
Nexus 10	Table	Metal, Plastic	White	77285001	5701581246089	1621953	2	Switch on fixture	112
Nexus 10	Table	Metal, Plastic	Black	77285003	5701581246188	1621954	2	Switch on fixture	112
Nexus 10	Floor	Metal, Plastic	White	77294001	5701581246386	1621956	2	Switch on fixture	113
Nexus 10	Floor	Metal, Plastic	Black	77294003	5701581246485	1621957	2	Switch on fixture	113
Nexus 10	Floor	Metal, Plastic	Grey	77294010	5701581246584	1621958	2	Switch on fixture	113
Nexus 20	Pendant	Metal, Plastic	Brushed steel	77243032	5701581270787	1694067	1		111
Nexus 20	Pendant	Metal, Plastic	White	77263001	5701581245280	1621945	2		110
Nexus 20	Pendant	Metal, Plastic	Black	77263003	5701581245389	1621946	2		110
Nexus 20	Pendant	Metal, Plastic	Grey	77263010	5701581245587	1621948	2		110
Nexus 20	Pendant	Metal, Plastic	Brushed steel	77263032	5701581254688	1629146	2		110

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Nuru	Table	Aluminium, Plastic	Grey	48275003	5701581456280	2042303	3	Under the base.	50
Nuru	Table	Aluminium, Plastic	Rosegold	48275058	5701581456389	2042304	3	Under the base.	64
Patton	Pendant	Metal	White	84453001	5701581339385	1845295	3		116
Patton	Pendant	Metal	Black	84453003	5701581339484	1845296	3		116
Patton	Floor	Metal	White	84464001	5701581339781	1845297	2	Switch on fixture	117
Patton	Floor	Metal	Black	84464003	5701581339880	1845298	2	Switch on fixture	117
Patton	Wall	Metal	White	84471001	5701581340183	1845299	3	Switch on fixture	116
Patton	Wall	Metal	Black	84471003	5701581340282	1845300	3	Switch on fixture	116
Pure 10	Wall	Metal, Wood	White	78271001	5701581308282	1761417	3	Switch on fixture	98
Pure 10	Wall	Metal, Wood	Black	78271003	5701581308381	1761418	3	Switch on fixture	98
Pure 10	Wall	Metal, Wood	Grey	78271011	5701581308480	1761420	3	Switch on fixture	98
Pure 10	Pendant	Metal, Wood	White	78283001	5701581264489	1691566	3		96
Pure 10	Pendant	Metal, Wood	Black	78283003	5701581264588	1691569	3		96
Pure 10	Pendant	Metal, Wood	Grey	78283011	5701581264687	1691571	3		96
Pure 10	Floor	Metal, Wood	White	78294001	5701581308589	1761422	2	Switch on fixture	99
Pure 10	Floor	Metal, Wood	Black	78294003	5701581308688	1761426	2	Switch on fixture	99
Pure 10	Floor	Metal, Wood	Grey	78294011	5701581308787	1761429	2	Switch on fixture	99
Pure 20	Pendant	Metal, Wood	White	43293001	5701581394780	1953161	3		96
Pure 20	Pendant	Metal, Wood	Black	43293003	5701581394889	1953162	3		96
Pure 20	Pendant	Metal, Wood	Grey	43293010	5701581394988	1953159	3		96
Pure Nordic 10	Pendant	Metal, Wood	White	43283001	5701581385481	1921464	3		96
Raito	Pendant	Glass, Metal	White	48053001	5701581453388	2042274	1		80
Raito	Pendant	Glass, Metal	White	48063001	5701581453487	2042275	1		80
Raito	Table	Glass, Metal	White	48075001	5701581453586	2042276	2		82
Raito	Floor	Glass, Metal	White	48084001	5701581453685	2042277	1		83
Raito	Wall	Glass, Metal	White	48091001	5701581453784	2042278	2		82
Raito 22 oval	Pendant	Glass, Metal	White	48043001	5701581453289	2042273	2		78
Raito 22 round	Pendant	Glass, Metal	White	48013001	5701581452985	2042270	2		27
Raito 30 oval	Pendant	Glass, Metal	White	48033001	5701581453180	2042272	2		29
Raito 30 round	Pendant	Glass, Metal	White	48023001	5701581453081	2042271	2		29
Reykjavik	Table	Porcelain, Metal	White	46155001	5701581396982	1957572	3	Switch on cable	101
Reykjavik 12	Pendant	Porcelain	White	45153001	5701581361782	1896536	2		100
Reykjavik 18	Pendant	Porcelain	White	45163001	5701581361881	1896538	2		100
Reykjavik 22	Pendant	Porcelain	White	45173001	5701581361980	1896539	2		101
Saturn	Pendant	Metal	White	83273001	5701581303881	1761114	2		138
Sence	Wall	Glass, Metal	White	46101001	5701581396388	1957562	3	Switch on fixture	119
Sence	Wall	Glass, Metal	Black	46101047	5701581396586	1957564	3	Switch on fixture	119
Sence	Table	Glass, Metal	White	46125001	5701581396685	1957574	2	Switch on cable	119
Sence	Table	Glass, Metal	Black	46125047	5701581396883	1957575	2	Switch on cable	119
Sence 16	Pendant	Glass	White	46073001	5701581395787	1953166	3		118
Sence 16	Pendant	Glass	Smoked	46073047	5701581395985	1953167	3		118
Sence 21	Pendant	Glass	White	46083001	5701581396081	1953169	3		118
Sence 21	Pendant	Glass	Smoked	46083047	5701581396289	1953170	3		118
Slope 22	Pendant	Metal	Black/White	71713001	5701581266476	1392867	3		140
Slope 35	Pendant	Metal	Black/White	71723001	5701581266575	1392868	2		140
Slope 50	Pendant	Metal	Black/White	71733001	5701581266674	1392869	1		140
SpaceB	Pendant	Aluminium, Plastic	White	46013001	5701581395381	1953156	3	Switch on fixture	84
SpaceB	Pendant	Aluminium, Plastic	Black	46013003	5701581395480	1953158	3	Switch on fixture	84
SpaceB	Floor	Aluminium, Plastic	White	46034001	5701581395589	1957578	2	Switch on fixture	86
SpaceB	Floor	Aluminium, Plastic	Black	46034003	5701581395688	1957579	2	Switch on fixture	86
Spider	Pendant	Metal	Black	83213003	5701581303287	1761108	2		138
Stay	Wall	Aluminium, Plastic	Black	48171003	5701581455184	2042292	2	Switch on fixture	58
Stay	Wall	Aluminium, Plastic	Grey	48171010	5701581455085	2042291	2	Switch on fixture	58

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Stay	Table	Aluminium, Plastic	Black	48185003	5701581455382	2042294	2	Switch on fixture	58
Stay	Table	Aluminium, Plastic	Grey	48185010	5701581455283	2042293	2	Switch on fixture	58
Strap	Table	Metal, Leather	White	46205001	5701581397088	1957576	3	Switch on fixture	74
Strap	Table	Metal, Leather	Black	46205003	5701581397187	1957577	3	Switch on fixture	74
Strap	Floor	Metal, Leather	White	46234001	5701581397286	1957580	2	Switch on fixture	75
Strap	Floor	Metal, Leather	Black	46234003	5701581397385	1957582	2	Switch on fixture	75
Strap 15	Wall	Glass, Leather	White	46241001	5701581397484	1957565	3	Switch on fixture	76
Strap 15	Wall	Glass, Leather	Black	46241003	5701581397583	1957566	3	Switch on fixture	76
Strap 15	Wall	Metal, Leather	White	84291001	5701581364684	1896589	3	Switch on fixture	76
Strap 15	Wall	Metal, Leather	Black	84291003	5701581364783	1896590	3	Switch on fixture	76
Strap 16	Pendant	Metal, Leather	White	84303001	5701581364882	1896592	3		70
Strap 16	Pendant	Metal, Leather	Black	84303003	5701581364981	1896593	3		70
Strap 27	Pendant	Glass, Leather	White	84313001	5701581337688	1845282	3		70
Strap 27	Pendant	Metal, Leather	White	84333001	5701581337787	1845283	3		70
Strap 27	Pendant	Metal, Leather	Black	84333003	5701581337886	1845284	3		70
Strap 27	Pendant	Metal, Leather	Brushed steel	84333032	5701581338081	1845285	3		70
Strap 36	Pendant	Metal, Leather	White	84343001	5701581338180	1845286	2		71
Strap 36	Pendant	Metal, Leather	Black	84343003	5701581338289	1845287	2		71
Strap 36	Pendant	Metal, Leather	Brushed steel	84343032	5701581338487	1845288	2		71
Strap 48	Pendant	Metal, Leather	White	84353001	5701581338586	1845289	1		71
Strap 48	Pendant	Metal, Leather	Black	84353003	5701581338685	1845290	1		71
Strap 48	Pendant	Metal, Leather	Brushed steel	84353032	5701581338883	1845291	1		71
Strap 68	Pendant	Metal, Leather	White	84363001	5701581400580	1953183	1		72
Strap 68	Pendant	Metal, Leather	Black	84363003	5701581400689	1953182	1		72
Strap to Go	Table	Plastic, Wood	White/Black	46195001	5701581452480	2042265	3	Switch on base	68
Stripped	Pendant	Metal, Wood	Copper	84373030	5701581338982	1845292	3		143
Sway	Wall	Metal	Black	48211003	5701581455689	2042297	3	On wall base	55
Sway	Table	Metal	Black	48225003	5701581455788	2042298	3	Switch on base	55
Sway	Floor	Metal	Black	48234003	5701581455887	2042299	2	Switch on fixture	56
Sway 11	Pendant	Metal	Black	48193003	5701581455481	2042295	3		54
Sway 15	Pendant	Metal	Black	48203003	5701581455580	2042296	3		54
Tippy	Wall	Metal	White	45181001	5701581362086	1896542	2	Switch on fixture	144
Tippy	Wall	Metal	Black	45181003	5701581362185	1896543	2	Switch on fixture	144

Nordlux Group Headoffice

Østre Havnegade 34
DK 9000 Aalborg
T + 45 98 18 16 11
nordlux@nordlux.com
nordlux.com

Germany

T +49 (0) 21 52 89 87 37
F +49 (0) 21 52 14 85 54
germany@nordlux.com

Sweden

T +46 (0) 20 14 00 054
sweden@nordlux.com

Norway

T +47 51 88 63 18
norway@nordlux.com

UK & Eire

T +44 (0) 12 00 42 27 77
uk@nordlux.com

France

france@nordlux.com

Benelux

T +32 (0) 15 25 76 41
benelux@nordlux.com



placeminds
LIGHTING SOLUTIONS

nordlux®

VEISEU // TONDELA
Zona Industrial da Adiça, Lt 5
3460-321 Mouraz

PORTO
Rua da Constituição, 1025
4200-202

LISBOA
Rua Espreguera Mendes, Lt 45
2720-076 Amadora

E. comercial@placeminds.pt
T. +351 963 870 158
+351 232 817 614

www.placeminds.pt
 facebook.com/Placeminds

02082019